

HANDLE VIA [REDACTED]  
CONTROL SYSTEM ONLY

Approved For Release 2000/08/31 : CORONA 78B04767A000300050024-6

25X1A

~~TOP SECRET~~  
CORONA

25X1A

[REDACTED]  
23 April 1969

Copy 3

25X1A

MEMORANDUM FOR: [REDACTED] Control Officer, DD/S&T/OSP

ATTENTION: [REDACTED]

25X1A

SUBJECT: NPIC Conclusions Derived from Evaluations  
of J-3 Experiments

25X1A

25X1A

The attached data is furnished in response to [REDACTED]

[REDACTED] request with respect to his compilation of the J-3

Ad Hoc Committee Final Report.

25X1A

[REDACTED]  
Chief, Applied Photo Science Division  
NPIC/TSSG

Attachments:

- 1 - Subjective Comparison of Wratten 25, 21, and 3F-05  
Filtered Records, Mission 1102
- 2 - Comparison of SO-230 and 3404 Film Types, Mission 1102-2
- 3 - SO-180 Evaluation, Mission 1104
- 4 - SO-180 Supplement, Mission 1104; Image Restoration Techniques
- 5 - SO-121 Evaluation, Mission 1105
- 6 - Photo Interpretability of SO-121, Mission 1106


Distribution:

- cy 1 - BCO, DD/S&T/OSP, w/a
- 2 - NPIC/TSSG/APSD - chrono 4/69, w/a
  - 3 - NPIC/TSSG/APSD - 450020, w/a ✓

NPIC/TSSG/APSD/IEB [REDACTED]:pdc/3305

25X1A

25X1A



~~TOP SECRET~~  
CORONA

Approved For Release 2000/08/31 : CORONA 78B04767A000300050024-6  
CONTROL SYSTEM ONLY